Approved For Release 2001/05/10: CIA-RDP78-03985A000400080018-7

COPY OF SHIPPING LIST

1A2 Exciter Cubicle S#1474645 1 1A4 Left Power Amplifier 1 Cubicle S#1474645	1 2 3	<u>1</u>	3000	60x53x91
1A/4 Left Power Amplifier 1	2	1		
Cubicle S#1/7/6/5	3		2900	60x53x91
	3		• • •	
1A3 Modulator Cubicle S#1474644 1		1	2953	60x53x91
1A30 Blower Motors 7½ H.P.				
7426385 Pt. 5, S#1442202 1	4	1	208	28x17x19
1A30 Blower Motors 7½ H.P.	بر		000	04 ====
7426385 Pt. 5, S#1442202 1 1A28 1 set Vacuum Tubes con-	5		208	28x17x19
sisting of: 8 WL-5671. 3 WL-807, 4 WL 5736, 2 WL- 802, 4 WL-813, 2 OD 3VR-150 1	6	7	205	38x25x38
1A22 2 Instruction Books CF-1386				
1B3 2 type MX-1 console, In- struction Books 1B-81-310-1				
1A19 1 R.F. Current Transformer				
S#1471694-A				
1A23 l Westinghouse Nameplate				
\$#1472812				
1A18 1 Mod. Coupling Capacitor			 	اسرسيسياسات فيها مردده بياد كرده
5# 1081020 1	7	<u> </u>	208	21x9x30
IA26 (Part of) 1 set Freq. Sensitive Items (1000 KC) consisting of: 1 Left Power Amp. Neutralizing Coil 7619001-G-3, 1 Right Power Amp. Neu- tralizing Coil 7619001- G-3, 1 1-5736 R. F. Plate Tank Padder 560 MMF 10 KV 14711582	8	7	195	38x32x23
2C l Left Power Amp. Neu- tralizing Coil S#7619001 G-1	J		177	
1A16 2 Blower Line Starters Dwg. 7426385 Pt. 10				
1A13 1 Modulator Transformer	_			
1483785 1 1475 Plan Profession 1	9		6300	66x50x84
IA15 Blower Dwg. 7426385 Pt. 2 1 IA15 Blower Dwg. 7426385 Pt. 2 1	10 11	1	1810	69x57x84
1B1 1 Type NX-1 Control Console,			1810	69x57x84
Desk and Chair S#1472247 1	12	1	660	73x43x49
1B1 (Part of) 1 Type MX-1				17447447
Control Console, Desk and Ch air S#1472247 1	13	2	140	25x25x38

Ttom No		No. of		Units	Case	Case
Item No.	L .	cases	Nos.	per case	<u>Weight</u>	<u>Measurement</u>
1A24	1 Installation Kit 742770	5 1	14	1	80	40xllxll
2B	Power Amplifier Pilate					40411411
	Tank Padder Capacitors					
05	S#1472200	1	15	<u> </u>	150	19x19x40
2B	Power Amplifier Pilate					
	Tank Padder Capacitors	-	7/	-	= ==	
1A10	S#1472200 Distribution Bus Trans-	1	16_		<u>150</u>	20x18x37
TALLO	former S#1483783	1	17	1	280	700700
1A10	Distribution Bus Trans-				200	19x21x27
	former S#1483783	1	18	1	280	19x21x27
lAlO	Distribution Bus Trans-				~~~	1/10/10/1
	former S#1483783	11	19	1	280	19x21x27
la2	(Part of) 1 Exciter					
740	Cubicle S#1353000	1	20	1	345	38x32x23
IA3	(Part of) 1 Modulator	_		_		
IA5	Cubicle S#1474644	1	21		180	35x23x29
JAS	(Part of) 1 Center Power Amplifier Cubicle					
	S#1474646	1	22	1	£00	~21 d
la7	(Part of) 1 Power Amp.	<u>_L</u>			590	53x48x50
	Rectox Frame 1472248	3	23	٦ .	300	47x38x17
1A29	(Part of) 1 Modulator	<u> </u>			<u> </u>	4/1/0/1/
	Rectox Frame S#1472249		24	1	128	39x16x17
1Al2	Distribution Bus Regulator		,			
7.470	S#148439	1	25	1	294	16x18x37
1A12	Distribution Bus Regulator			_		
1A31	S#148439 2 Varipitch "tex rope"		26	1	294	16x18x37
TUT	Drive 7426385 Pt. 6	1	00	0	000	01.00.00
1A32	2 Sheavek 7426385 Pt. 7	<u> </u>	27	2	232	24x22x13
	(Magic Grip)	1	28	3	232	24x22x16
IA34	1 Allis Chalmers "Tex Slid		~0		~)~	KANKK ALU
***	Base #3 7426385 Pt. 9					
1A24	l Installation Kit 7427705	1	29	1	152	33x24x13
IB4	1 Set Naeplate Mounting					
	Hardware Consisting of:	1	30		150	26x25x21
	6 Truss Head Brass 4"					-
	machine Screws 4-40, 6 Hex					
	Nuts, Brass 4-40 Finish 2D					
	6 Lockwashers, outside Sha proof Stnd 4-40, Finish 2D					
	1 Cloth Bag 4x6, PDS-6094-					
3R	200 Ft. of 2 conductor, 7					
	O.olo Wire, Shielded Twist					
	Pair PDS-7417-6					
3U	8 Receptacle Plugs; for RG	-8/				
	U cable #22000, or equiv.	-				~4
	Si 1474278					
3L	20 Copper Elbow Fittings f					. 7 <u>. 4 %</u> TE
	3/8" Tubing, S-407, CAT. 3		D70 01	2005420242	0000040	7
Approved For Release 2001/05/10 : CIA-RDP78-03985A000400080018-7						

Item No.	<u>Description</u>	No. of cases	Case Nos.	Units per case	Case Weight	Case Measurement
3M	50 Copper Elbow Fittings for ½ Buting, S-407,					
3N	CAT. 4101 5 Copper "Tee" Fittings for 3/8" Tubing, S-"411,					
30	CAT. 3770 15 Copper "Tee" Fittings for ½" Tubing, S-W-411, CAT. 4182					
3 P	5 Copper Couplings for 3/8" Tubings-401, CAT 4178					
3 Q.	30 Copper Couplings for ½"Tubing, S-401, CAT. 4088					
1A35 3S	70 Ft. RG-62/U R.F. Cable 225 Ft. RG-8/U Coaxial					
3B	Cable PDS-9263 30 Ft. of #10 Stranded Lead Sheath Cable 3500					•
1A25	Volt Insulation PDS 7275-3					
-	65 Ft. RG-17/U R.F. Cable					
1A33	4 Allis Chalmers Belts Type R-150, #3 7426385, Pt. 8					
2 D	1 Right Power Amp. Neutral izing Coil, 7619001 G-1	_ 	31		306	38x32x23
3T	8 Jack Receptacles for RG- U Cable #23000 or equiv.	8/			,,,,	<i>y</i> -1.5/~120 <i>y</i>
3 H	35 Wire Terminals Thomas & Betts #31007 for #2 wire					
3I	13 Wire Terminals Thomas & Betts S#31015 for 3 Con-					
3K	ductor Cable 12 Stand-off Insulators Type 1111-06, 8" length Type B top with Type C base 3/8-16 tapp					
1A 6	(Part of) 1 Right Power Amp. Cubicle S#1474647	1	32	1	210	35x23x29
lA5	(Part of) 1 Center Power Amplifier Cubicle S#1474646			1	84	
1A14	Modulation Reactors 1453629	3 7	34 34	1		35x16x23
1A14	Modulation Reactors 1453629		35 35	<u>†</u>	3024 3027	50x33x74
1A9	1 Main Rect. Plate Trans-	<u> </u>			3024	50x33x74
1A1	former S#1608579 1 Power Control Cubicle	1	36	1	3300	66x38x78
	S#14734643	1	37	1	3300	60x52x91
1A11	1 Main Rectifier Regulator (60 cps) S#1486437	1		1	3020	48x31x83
1A27	2 Oscillator Units, Type	<u></u>			<u> </u>	ACA JACO
	FA S#1472593 pproved For Release 2001/05/1	0 : CIA-R	DP 78-0	3985A00040	0080018-	7 35x23x39

Approved For Release 2001/05/10 : CIA-RDP78-03985A000400080018-7

Item No.	Description	No. of cases	Case Nos.	Units per case	Case <u>Weight</u>	Case <u>Measurement</u>
1 A3 6	l High Pass Filter G- Letter 76258					
lal6	2 Blower Line Starters Dwg. 7426385 Pt. 10					
1A16	Line Starter & set of 3 Feed Thru Bowl					
1A28	1 Set Vacuum Tubes, con- sisting of: 8 WL-5671, 4 WL-5736, 4 WL-813, 3 WL-807, 2 WL-802, 2 OD 3/VR-150	ı	40	2	270	42x33x43
10	<pre>1 set Spare Tubes for Item 1, Consisting of: 8 WL-5671, 4 WL-5736, 4 W1-813, 3 WL-807, 2 W1-802, 2 ODB/VR-150, 4 RCA 1-V</pre>	1	48		430	46x38x39
1A17	1 Switchgear Cubicle 1474648	1	56	1	1300	55x24x96
1A5	l Center Power Amplifier Cubicle S#1474646	1	57	1	2050	61x52x91
1A17	(Part of) 1 Switchgear Cubicle 1474648	1	58	1	220	25x21x26
1A17	(Part of) 1 Swintchgear Cubicle 1474648	1	59	1	220	25x21x26
1A6	1 Right Power Amp, Cubi- cle S#1474647	1	60	1	1329	61x52x26
1A7	1 Power Amp Rectox Frame 1472248	1	61	11	734	46x31x70
1A29	1 Modulator Rectox Frame S#1472249	1	62	1	734	46x31x70
1A34	Not listed 1 Allis Chalmers "Tex Slid	1	63		1800	36x30x96
	Base #3 7426385 Pt. 9	1	821	1	84	24x22x5
2A 1A26	4 - 4-5736 R.R. Plate Tank Padders Capacitors 560 MMF 10 KV S#1471582 (Part of) 1 - 1-5736 R.F. Plate Tank Padder 560 MM	1	2347	5	28	17x15x11
	<u>10 KV S#1471582</u>					
1A37	<pre>1 Set of End Radii consist ing of: 1 - L.H. Deep 1471824, 1 - R. H. Deep S#1471825</pre>	_	4132	1	250	
1A37	1 Set of End Radii consisting of: 1 - L.H. Deep 1471824, 1 - R. H. Deep	rive a comment on a register benegative (based)			na ya ka ka wasan ka ka wasan ka	
	S#1471825	1	4133	1	250	
3G	500' Copper Strap 0.25"x 1.25" PDS 2003-2	1	1		670	115x8x6

Approved For Release 2001/05/10 : CIA-RDP78-03985A000400080018-7

Item No.	Description	No. o		Units per case	Case <u>Weight</u>	Case <u>Measurement</u>
30	5001 Copper Strap 0.25"x 1.25" PDS 2003-2	<u> 1</u>	2		220	28x26x 1 6
3D	250 D-250 Ft. of 500 MCM 37/ .1162 three conductor 600 volt A.V.C.	_				
213	Power Cable	1	Reel #1		1825	51x 51 x34
3E	50° Hard Drawn Copper Tubing 0.311° I.D. and 0.375° 0.D. PDS-7003M	1	4063		225	27x22x14
3 A	10990 Ft. #12 Stranded 65 of 1.01 wire black vinyl insulation PDS 8241- 10	- 1	4064		175	33x14x14
3F	650' Hard drawn copper tubing 0.370" I.D. and 0.550" O.C. PDS-7003 M	·		Marijana ka-sarrajan indukarrajika karajana		namen og en skale og en sk
	7 - Wood Reels; 12 x 14 (1	a) 1	4065		325	20x7x6